Letters in Applied Microbiology

Edited by

D.E.S. Stewart-Tull, F. Stutzenberger, C.R. Harwood,

D.M. Gibson & P.J. Blackall

Volume 27, 1998

Copyright © 1998, by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

CODEN LAMIE7 ISSN 0266-8254

Published by
Blackwell Science Ltd
OXFORD LONDON EDINBURGH BOSTON
MELBOURNE BERLIN VIENNA

Printed in Great Britain

Contents

Volume 27, Number 1, July 1998

1 A novel assay for the distribution of pyrithione biocides in bacterial cells *A.J. Dinning, I.S.I. AL-Adham, P. Austin & P.J. Collier*

5 Can spoilage bacteria cause blackspot (melanosis) in stored prawns? *H.N. Chinivasagam, H.A. Bremner & R. Reeves*

9 A novel antimicrobial activity of a *Paenibacillus polymyxa* strain isolated from regional fermented sausages *M. Piuri, C. Sanchez-Rivas & S.M. Ruzal*

14 Effects of harvesting method and growth stage on the flocculation of the green alga *Botryococcus braunii* *S.J. Lee, S.-B. Kim, J.-E. Kim, G.-S. Kwon, B.-D. Yoon & H.-M. Oh*

19 Incorporation of nisin into a meat binding system to inhibit bacteria on beef surfaces *C.N. Cutter & G.R. Siragusa*

24 An evaluation of ERIC PCR and AP PCR fingerprinting for discriminating *Salmonella* serotypes *M.D. Burr, K.L. Josephson & I.L. Pepper*

31 Electrophoretic profile of hybrids between cryotolerant and non-cryotolerant *Saccharomyces* strains *P. Giudici, C. Caggia, A. Pulvirenti, C. Zambonelli & S. Rainieri*

35 Effect of *Quillaja saponaria* saponins and *Yucca schidigera* plant extract on growth of *Escherichia coli S. Sen, H.P.S. Makkar, S. Muetzel & K. Becker*

39 The differentiation of *Phytophthora* species that are pathogenic on potatoes by an asymmetric PCR combined with single-strand conformation polymorphism analysis *D.L. Scott, C.W. Clark, A.E. Fyffe, M.D. Walker & K.L. Deah*

45 Minimum inhibitory concentration of smoke wood extracts against spoilage and pathogenic micro-organisms associated with food *E. Suñen*

49 Rapid purification of DNA from soil for molecular biodiversity analysis *C. Yeates & M.R. Gillings*

54 The *areA*^{r} mutations of *Aspergillus nidulans* confer low pH sensitivity in the presence of ammonium as the only nitrogen source *M. Pereira & N.M. Martinez-Rossi*

57 A rapid method for determination of *in vitro* susceptibility to antibiotics with a bulk acoustic wave bacterial growth biosensor *H. Tan, D. Le, J. Li, W. Wei & S. Yao*

62 Isolation of a non-insecticidal *Bacillus thuringiensis* strain belonging to serotype H8a8b *H.-W. Park, J.-Y. Roh, Y.-H. Je, B.-R. Jin, H.-W. Oh, H.-Y. Park & S.-K. Kang*

Volume 27, Number 2, August 1998

67 Light inactivation of food-related pathogenic bacteria using a pulsed power source *S.J. MacGregor, N.J. Rowan, L. McIlvaney, J.G. Anderson, R.A. Fouracre & O. Farish*

71 Purification and characterization of acid proteinase from *Neosartorya fischeri* var. *spinosa* IBT4872 *L.C. Wu & Y.D. Hang*

76 *Escherichia coli* O157 serology: false-positive ELISA results caused by human antibodies binding to bovine serum albumin *H. Chart, J. Evans, R.M. Chalmers & R.L. Salmon*

79 Effect of permeabilizing agents on antibacterial activity against a simple *Pseudomonas aeruginosa* biofilm *H.M. Ayres, D.N. Payne, J.R. Furr & A.D. Russell*

83 Two restriction endonucleases in *Selenomonas ruminantium* subsp. *lactilytica P. Pristas, K. Fliegerova & P. Javorsky*

86 Degradation of 2,4,6-trichlorophenol by a specialized organism and by indigenous soil microflora: bioaugmentation and self-remediability for soil restoration *V. Andreoni, G. Baggi, M. Colombo, L. Cavalca, M. Zangrossi & S. Bernasconi*

93 Characterization of glycerol kinase and NAD-independent glycerol-3-phosphate dehydrogenase from *Pediococcus pentosaceus* N5p *S.E. Pasteris & A.M. Strasser de Saad*

98 Anti-MRSA activity of sophoraflavanone G and synergism with other antibacterial agents *Y. Sakagami, M. Mimura, K. Kajimura, H. Yokoyama, M. Iinuma, T. Tanaka & M. Ohyama*

101 Changes in the strength of attachment of micro-organisms to surfaces following treatment with disinfectants and cleansing agents *P.J. Eginton, J. Holah, D.G. Allison, P.S. Handley & P. Gilbert*

106 Comparison of conventional culture and PCR methods for the detection of *Legionella pneumophila* in water *P. Villari, E. Motti, C. Farullo & I. Torre*

111 Simple and direct detection of *Staphylococcus aureus* in milk by a tube coagulase test *S.P. Yazdankhah & E. Olsen*

116 The use of alkaline phosphatase-labelled oligonucleotide probes as culture confirmation reagents for the identification of commercially important bacteria *D.J. Glover & W.J. Harris*

121 Letters to the Editor

Volume 27, Number 3, September 1998

125 Physical mapping of the conjugative plasmid pMB1-1 of *Enterococcus faecalis* *M. Martínez-Bueno, E. Valdivia, I. Martín, R. Quirantes & M. Maqueda*

130 Haemagglutination and glycolipid-binding activities of *Lactobacillus reuteri* *T. Mukai, S. Kaneko & H. Ohori*

135 Comparative antibacterial effects of novel *Pelargonium* essential oils and solvent extracts *M. Lis-Balchin, G. Buchbauer, K. Ribisch & M.-T. Wenger*

142 Cross-species induction and enhancement of antimicrobial activity produced by epibiotic bacteria from marine algae and invertebrates, after exposure to terrestrial bacteria *A. Mearns-Spragg, M. Bregu, K.G. Boyd & J.G. Burgess*

147 Direct inoculation into media containing bile salts and antibiotics is unsuitable for the detection of acid/salt stressed *Escherichia coli* O157:H7 *P.J. Stephens & J.A. Joynson*

152 Isolation and characterization of a transposon mutant of *Pseudomonas fluorescens* AU63 deficient in antifungal activity against *Pythium ultimum* *N. Rajendran, A. Rompf, M.A. Marahiel & D. Jahn*

158 Restriction enzyme analysis of randomly amplified polymorphic DNA amplicons of *Salmonella enterica* ser. Enteritidis PT4 and Typhimurium DT104 *A.C. Hilton & C.W. Penn*

163 Polymerase chain reaction for rapid detection of *Campylobacter jejuni* in artificially contaminated foods *D.K. Winters, A.E. O'Leary & M.F. Slavik*

168 A RAPD-PCR method for large-scale typing of *Bacillus cereus* *J. Nilsson, B. Svensson, K. Ekelund & A. Christiansson*

173 Acid production from lactulose by dental plaque bacteria *P.J. Moynihan, S. Ferrier, S. Blomley, W.G. Wright & R.R.B. Russell*

178 Occurrence of bacteriocin production among environmental enterococci *A. Lauková, S. Czikková, Z. Vasilková, P. Juris & M. Mareková*

183 Acid and bile tolerance of *Lactobacillus* isolated from chicken intestine *L.Z. Jin, Y.W. Ho, N. Abdullah & S. Jalaludin*

186 Research note: The effect of pH on the stability of nisin solution during autoclaving *E. A. Davies, H.E. Bevis, R. Potter, J. Harris, G.C. Williams & J. Delves-Broughton*

Volume 27, Number 4, October 1998

189 Antimicrobial effect of tetramethyldithiooxamide and its application as a biocide *S.V. Tabakova, T.V. Kantardjiev & V.V. Mircheva*

193 The role of regulatory gene products in alkali sensitization by extracellular medium components in *Escherichia coli* *R. J. Rowbury & N.H. Hussain*

198 Unidentified *Listeria*-like bacteria isolated from cheese *N. Rijpens, G. Vlaemynck, R. Rossau, L. Herman & G. Jannes*

203 Evidence that sorbic acid does not inhibit yeast as a classic 'weak acid preservative' *M. Stratford & P.A. Anslow*

207 Antimicrobial activity of *Pelargonium* essential oils added to a quiche filling as a model food system *M. Lis-Balchin, G. Buchbauer, T. Hirtenlehner & M. Resch*

211 Genomic relationships of *Actinobacillus pleuropneumoniae* serotype 2 strains evaluated by ribotyping, sequence analysis of ribosomal intergenic regions, and pulsed-field gel electrophoresis *V. Fussing*

216 Phage types of Australian isolates of *Salmonella enterica* subsp. *enterica* serovar Virchow *A.M. Sullivan, L.R. Ward, B. Rowe, J.B. Woolcock & J.M. Cox*

219 A PCR survey of psychrotrophic *Clostridium botulinum*-like isolates for the presence of BoNT genes *D.M. Broda, J.A. Boerema & R.G. Bell*

224 Prevalence and antimicrobial susceptibility of staphylococci isolated from the skin surface of clinically normal cats *W. Lilenbaum, E.L.C. Nunes & M.A.I. Azeredo*

229 Antimicrobial substances produced by *Staphylococcus aureus* strains isolated from cattle in Brazil *S.S. de Oliveira, D.C. Póvoa, J. dos Santos Nascimento, M. do S.V. Pereira, J.P. de Siqueira Jr & M. do C. de Freire Bastos*

235 Computerized evaluation procedure for comparing the electrophoretic protein patterns of bacterial strains *S. Bernáth & G. Morovján*

Volume 27, Number 5, November 1998

239 A SHORT REVIEW Quantitative BSE risk assessment: relating exposure to risk *P Gale*

243 Design and evaluation of malolactic enzyme gene targeted primers for rapid identification and detection of *Oenococcus oeni* in wine *G. Zapparoli, S. Torriani, P. Pesente & F. Dellaglio*

247 High frequency of metronidazole resistance among strains of *Campylobacter jejuni* isolated from birds *K.N. Stanley & K. Jones*

251 Effects of cold stress on the antimicrobial drug resistance of *Escherichia coli* of the intestinal flora of swine *M.H. Moro, G.W. Beran, L.J. Hoffman & R.W. Griffith*

255 Phenotypic, genotypic and pathogenic variation among streptomycetes implicated in common scab disease *P.A. Bramwell, P. Wiener, A.D.L. Akkermans & E.M.H. Wellington*

261 Use of an electronic nose for the early detection and differentiation between spoilage fungi *G. Keshri, N. Magan & P. Voysey*

265 *Mycobacterium tuberculosis* complex DNA in calcified pleura from remains 1400 years old *H.D. Donoghue, M. Spigelman, J. Zias, A.M. Gernaey-Child & D.E. Minnikin*

270 Recovery of total microbial RNA from lactic acid fermented foods with a high starch content *F. Ampe, N. ben Omar & J.-P. Guyot*

275 Variations in tolerance of *Listeria monocytogenes* to nisin, pediocin PA-1 and bavaricin A *M. Rasch & S. Knochel*

279 Survival and biological activity of heat damaged DNA *C.I. Masters, C.A. Miles & B.M. Mackey*

283 *Trichoderma*/pathogen interactions: measurement of antagonistic chemicals producted at the antagonist/pathogen interface using a tubular bioassay *J. M. Cooney & D.R. Lauren*

287 Staphylococcal strains involved in bovine mastitis are inhibited by *Staphylococcus aureus* antimicrobial peptides *S.S. de Oliveira, J. Abrantes, M. Cardoso, D. Sordelli & M.C.F. Bastos*

292 Evaluation of the efficacy of glutaraldehyde and peroxygen for disinfection of dental instruments *I.F. Agelillo, A. Bianco, C.G.A. Nobile & M. Pavia*

297 Rapid evaluation in *Escherichia coli* of antisense RNAs and ribozymes *C. Tatout, E. Gauthier & H. Pinon*

302 Enumeration of *Carnobacterium divergens* V41, *Carnobacterium piscicola* V1 and *Lactobacillus brevis* LB62 by *in situ* hybridization - flow cytometry *N. Connil, X. Dousset, B. Onno, M.F. Pilet, M.F. Breuil & M.C. Montel*

307 Autoaggregation and adhesion ability in a *Bifidobacterium suis* strain *B. Del Re, A. Busetto, G. Vignola, B. Sgorbati & D.L. Palenzona*

Volume 27, Number 6, December 1998

313 Redox potential affects the measured heat resistance of *Escherichia coli* O157:H7 independently of oxygen concentration *S.M. George & M.W. Peck*

318 Recovery of *Cryptosporidium* oocysts from small and large volume water samples using a compressed foam filter system *D.P. Sartory, A. Parton, A.C. Parton, J. Roberts & K. Bergmann*

323 Evaluation of two media for the membrane filtration enumeration of *Clostridium perfringens D.P. Sartory, M. Field, S.M. Curbishley & A.M. Pritchard*

328 Bactericidal activity of catechin-copper (II) complexes on *Escherichia coli* ATCC11775 in the absence of hydrogen peroxide *T. Kimura, N. Hoshino, A. Yamaji, F. Hayakawa & T. Ando*

331 Sensitization of thermally injured spores of *Bacillus stearothermophilus* to sodium benzoate and potassium sorbate *M. Lopez, S. Martinez, J. Gonzalez, R. Martin & A. Bernardo*

336 A comparative study on permeabilization treatments for *in situ* determination of phytase of *Rhodotorula gracilis S. Bindu, D. Somashekar & R. Joseph*

341 Aerobic growth and survival of *Campylobacter jejuni* in food and stream water *R.W. Chynoweth, J.A. Hudson & K. Thom*

345 Synergistic antimicrobial effect of nisin whey permeate and lactic acid on microbes isolated from fish *A. Nykänen, S. Vesanen & H. Kallio*

349 Isolation of *Aeromonas salmonicida* in association with purple-pigmented bacteria in sediment from a Scottish loch *D.A. Austin, P.A.W. Robertson, D.K. Wallace, H. Daskalov & B. Austin*

352 Evaluation of fluorochromes for flow cytometric detection of *Cryptosporidium parvum* oocysts labelled by fluorescent *in situ* hybridization *D. Deere, G. Vesey, N. Ashbolt, K.A. Davies, K.L. Williams & D. Veal*

357 Effect of rhizosphere fluorescent *Pseudomonas* strains on plant-parasitic nematodes *Radopholus similis* and *Meloidogyne* spp. *P.M. Aalten, D. Vitour, D. Blanvillain, S.R. Gowen & L. Sutra*

362 Natural milk fatty acids affect survival and invasiveness of *Listeria monocytogenes G. Petrone, M.P. Conte, C. Longhi, S. di Santo, F. Superti, M.G. Ammendolia, P. Valenti & L. Seganti*

369 PCE differentiation of *Escherichia coli* from other Gram-negative bacteria using primers derived from the nucleotide sequences flanking the gene encoding the universal stress protein *J. Chen & M.W. Griffiths*

372 Effect of divalent cations on permeabilizer-induced lysozyme lysis of *Pseudomonas aeruginosa H.M. Ayres, J.R. Furr & A.D. Russell*

375 Effect of oscillatory high hydrostatic pressure treatments on *Byssochlamys nivea* ascospores suspended in fruit juice concentrates *E. Palou, A. López-Malo, G.V. Barbosa-Cánovas, J. Welti-Chanes, P.M. Davidson & B.G. Swanson*

379 Isolation of *Salmonella* resistant to hypochlorous acid from a poultry abattoir *R.M. Mokgatla, V.S. Brözel & P.A. Gouws*

383 Letters to the Editor

388 Index